

HealthConnection

A COMMUNITY SERVICE OF **BYRD REGIONAL HOSPITAL**



*Health
Connection
gets a fresh
look!*

WWW.BYRDREGIONAL.COM • FALL 2011

PAGE 3

**Help for a
torn ACL**

PAGE 4

**A better way
to biopsy**

PAGE 5

**Digital mammography
is here!**

PAGE 8

**Meet the
medical staff**

Healthbriefs



tip

Walking

is a great way to reduce stress while you quit smoking. It aids in increasing mood and energy levels.

> New guidelines take the air out of ballooning obesity rates

More than two-thirds of adults and one-third of children are now considered to be overweight or obese. Excess weight raises the risk of serious health issues. To reverse this trend, the U.S. Department of Agriculture (USDA) and Department of Health and Human Services (HHS) updated their Dietary Guidelines for Americans in 2010. The guidelines focus on getting people to eat healthier and exercise more, and help policymakers create nutrition programs. The USDA and HHS released more consumer-friendly advice and tools, including a new food pyramid. They offer these simple strategies to help people change their habits and their weight:

- > Eat less.
- > Watch portion sizes.
- > Fill half of your plate each meal with fruits and veggies.
- > Switch to fat-free or low-fat milk.
- > Look for lower-sodium options.
- > Drink water instead of sugary drinks.



> Act F.A.S.T. to head off a stroke

Rapid medical care can help reduce the risk of brain damage from stroke. Physicians treat patients with a clot-busting drug that can help protect the brain against permanent damage, but the drug must be given within three hours of the stroke's onset. If someone is experiencing stroke symptoms, call 911. To help you remember stroke signs and determine whether someone you know has had a stroke, think **F.A.S.T.:**

- > **FACE:** Does the face look uneven? Can the person smile?
- > **ARMS:** Can the person raise both arms and keep them there?
- > **SPEECH:** Is the person's speech slurred or strange?
- > **TIME:** Call 911 if you notice any of these signs.

> Healthy diet may boost kids' IQs

Fish isn't the only food that's good for your brain. A new study says that other healthy selections might boost kids' intelligence. The flip side may also be true: If kids eat nothing but processed food, they might lose IQ points. Published in the *Journal of Epidemiology and Community Health*, the report collected information from parents on almost 4,000 children. Surveys were given when children were ages 3, 4, 7 and 8.5. The "processed" diet included foods high in fat and sugar. The "health-conscious" diet included foods such as salad, rice, pasta, fish and fruit. Those who ate a processed diet at age 3 scored slightly lower on IQ tests at age 8.5 than those who ate a health-conscious one at age 3. While the difference between the groups was small, it might be another reason to encourage picky eaters to eat a few more vegetables.



Treating an ACL injury

➤ The dreaded torn ACL, or anterior cruciate ligament, is a common injury

for athletes—especially female athletes, who may be at a disadvantage because of hormonal influences and their build—but it can happen to just about anyone.

What is an ACL tear?

Your ACL is one of four knee ligaments. It's located in the middle of your knee and prevents the top of the shin bone, or the tibia, from sliding out in front of the end of the thigh bone, or the femur, while lending stability to your knee. Most often, ACL injuries occur when you stop suddenly and change direction while running, pivoting or landing from a jump or overextending your knee. You can also injure your ACL during contact, such as receiving a blow to your knee during a sports game or any nonsport accident.

When you injure your ACL, you may hear a popping noise and feel your knee giving out. Typically, painful swelling, joint tenderness, pain while walking and the inability to fully move your knee occur. Elevating the joint above heart level, icing it and using pain relievers are recommended until the injury can be evaluated. If your physician suspects an ACL tear, he or she may order an MRI to confirm that no other parts of the knee have been injured.

Treatment

The ACL cannot be “fixed.” Often, physicians have to create a new ligament through surgery. Surgery is the most common treatment for an ACL injury, as untreated injuries may lead to further instability of the knee and the beginning of arthritis in that area.

However, what's best for you depends on the degree of injury (is it a

partial tear or a complete tear?) and your lifestyle.

For example, a sedentary 75-year-old who has suffered only an ACL injury and has no knee instability may be able to function fine without surgery. In this case, bracing the knee combined with physical therapy can help the patient get back on his or her feet.

An athlete will most likely need surgery to continue to compete in sports, as will those who've suffered injury to multiple ligaments in the knee. In these cases, the ligament is rebuilt using a tissue graft from your own tendons, such as the hamstring, or from a cadaver. Most ACL tears typically require physical rehabilitation. Overall, ACL surgery has a long-term success rate of 82 percent to 95 percent.

Prevention

It's not easy to prevent an ACL injury, but you can do your part to reduce the chance that one will occur by:

- warming up properly before a physical activity
- engaging in strength training, such as using weight machines, to gain muscle strength
- asking a trainer to teach you how to land on the balls of your feet if you participate in sports that involve jumping and landing ●



tip

Warming

up properly before physical activity may help prevent ACL injuries.



From us TO YOU

ROGER LEDOUX
Chief Executive
Officer

DEAR FRIENDS,

I appreciate all of our patients and their family members and your relationships with Byrd Regional Hospital (BRH). You have a right to choose your health care provider, and whenever you choose BRH for your care, we strive to ensure your best experience. One measurement of that experience is patient satisfaction surveys. Our patient satisfaction survey results continue to improve in most areas and where there is a need for improvement, I can assure you we are focused to do better.

Another measurement of the care you receive is The Joint Commission Survey. The Joint Commission is an independent, not-for-profit organization that accredits and certifies more than 19,000 health care organizations and programs in the United States. Accreditation and certification by The Joint Commission is recognized nationwide as a symbol of quality that reflects an organization's commitment in meeting certain performance standards. The Joint Commission surveyed BRH last month and we had outstanding results. The survey team was very complimentary of our hospital, staff, physicians and leadership.

Congratulations to the entire team, working hard every day to provide quality health care service for your family and our community.

To your good health,

Roger LeDoux

*Chief Executive Officer
Byrd Regional Hospital*

Minimally invasive breast biopsy



GURU GHANTA, M.D.
BOARD-CERTIFIED
GENERAL SURGEON

➤ If you've found a lump in your breast,

your first step should be to see your physician. Byrd Regional Hospital (BRH) has the capabilities to perform stereotactic breast biopsy, a safe and minimally invasive procedure to diagnose your condition.

"We're pleased to offer this and other breast care procedures right here at BRH," says Guru Ghanta, M.D., board-certified general surgeon at BRH.

About stereotactic breast biopsy

An efficient technique, stereotactic breast biopsy obtains tiny samples from abnormal areas found on a mammogram. Computer-guided imaging locates a sample of suspicious breast tissue, and a small needle removes it. This outpatient procedure requires no hospitalization or surgical incision and is performed using only local anesthesia.


Research shows that mammography is an excellent way to detect breast abnormalities, but in many cases it's not possible to tell from the imaging studies alone whether a growth is benign or cancerous. To determine the tissue sample's health, stereotactic breast biopsy may be the right option for you.

With the expertise and skill of surgeons like Dr. Ghanta, BRH offers a wider range of surgical services to meet and serve the community's needs. Community residents can rest easy knowing these less-invasive procedures can be performed close to home. ●



Know your options

For more information or to make an appointment for this procedure, call Dr. Ghanta at **(337) 239-5113**.



“ There are many **advantages to digital mammography** and now women in our service area have **access** to this type of mammogram. ”

—ROGER LEDOUX,
CEO OF BRH

A better kind of **mammography**

Byrd Regional Hospital now offers digital mammography

➤ **Breast cancer often makes itself known in its early stages, when**

there's a good chance for a cure. But here's the catch: You need the right screenings to detect breast cancer. Women who undergo routine mammograms at Byrd Regional Hospital (BRH) have access to advanced diagnostic technology—digital mammography.

“We're excited to be able to offer this technology,” says BRH Chief Executive Officer Roger LeDoux. “It allows us to offer our patients advanced mammograms with the least possible hassle and disruption to their lives. There are many advantages to digital mammography and now women in our service area have access to this type of mammogram.”

Benefits of going digital

While digital imaging feels almost identical to conventional screening from the patient's perspective, digital mammography has several benefits, including shorter exam times and fewer call-backs to obtain more images.

With digital mammography, the radiologist reviews electronic images of the breast using special high-resolution

monitors. The physician can adjust the brightness, change contrast and zoom in for close-ups of specific areas. Because digital mammography images are electronic, they can be transmitted quickly across a computer network. Digital images also can be easily stored, copied without loss of information and transmitted and received in a more streamlined manner, eliminating dependence on one set of original films.

To supplement this technology, BRH uses a digital computer-aided detection (CAD) system, which highlights common characteristics of breast cancer, including masses, clusters of microcalcifications and changes in breast tissue, also called architectural distortion. CAD flags these abnormalities to help the radiologist detect breast cancer early. “Digital CAD is like a second set of eyes to support and enhance the radiologist's judgment,” says LeDoux.

Make your commitment to early detection today by scheduling a mammogram, if you're due, and by encouraging your friends to do the same. BRH is committed to providing quality breast care, close to home. ●



Get screened!

To make an appointment for a screening mammogram, call the Leesville Diagnostic Center, located at 506 S. 6th St. in Leesville, at **(337) 392-2992**.

Can heart attacks be 'silent'?

➤ **You're undergoing a routine heart test when your physician drops a bombshell:**

"You've had a heart attack."

These are words you didn't expect to hear, because you didn't know you'd ever had one. But that's the trouble with what experts call "silent heart attacks."

While they don't produce the telltale warning signs of heart trouble, they still damage your heart and the rest of your body.

Silence isn't golden

A heart attack occurs when an artery that supplies oxygen-rich blood to the heart becomes blocked. Besides chest pain and shortness of breath, some people experience nausea, extreme fatigue, discomfort in their extremities and sweating.

People who experience a silent heart attack—studies put the number of Americans who do at almost 200,000 a year—either have no symptoms or symptoms

so mild that they're not recognized as a heart attack. These people are more likely to be women and those who have conditions such as heart failure and diabetes. Silent heart attacks also tend to accompany a condition called silent ischemia—or a painless chronic shortage of blood and oxygen to the heart because of artery plaque.

The longer you don't receive treatment, the more likely it is that serious, irreversible damage is being done to heart muscle, which reduces its ability to pump and can greatly increase your risk of death down the road.

Some silent heart attacks may be picked up on an electrocardiogram (ECG) during a routine physician visit because the damage done to heart muscle produces a different "wave."

Breaking through the silence

Risk factors such as smoking, high cholesterol, high blood pressure, obesity and a sedentary lifestyle increase your risk for trouble. Your best bet to prevent a heart attack is to follow a heart-healthy lifestyle:

- Eat a diet rich in fruits, vegetables, whole grains, lean meats, fish and fat-free or low-fat dairy products; limit saturated fats, cholesterol and sodium.
- Work out regularly.
- Quit smoking.
- Manage your diabetes.
- Take any medications used to treat high cholesterol or blood pressure as prescribed. ●

HealthWise QUIZ

How much do you know about colon cancer?

> TAKE THIS QUIZ TO FIND OUT.

- 1 **Which of the following is known to raise your risk of colon cancer?**
 - a. exercising too much
 - b. being under the age of 50
 - c. being obese
 - d. being of Asian descent
- 2 **How often should healthy individuals ages 50 or older at average risk of colon cancer get a colonoscopy?**
 - a. once every three years
 - b. once every five years
 - c. once every seven years
 - d. once every 10 years
- 3 **A possible symptom of colon cancer is:**
 - a. narrower stools
 - b. fatigue
 - c. rectal bleeding
 - d. all of the above
- 4 **Although more research is needed, which of the following supplements may possibly help reduce the risk of colon cancer?**
 - a. folic acid
 - b. green tea
 - c. vitamin A
 - d. vitamin C
- 5 **A true statement about colon cancer is:**
 - a. It's the leading cause of cancer deaths in the United States.
 - b. It usually arises from growths called polyps.
 - c. Blood tests can be used to detect colon cancer.
 - d. all of the above

Answers: 1. (c) 2. (d) 3. (d) 4. (a) 5. (d)



Dangerous dishes

Keep your child safe from culinary choking hazards

➤ **Each year, more than 10,000 children younger than age 14 end up in the emergency room after choking on food.** That's because children lack the larger molars, stronger chewing ability and wider airways of older children and adults.

The American Academy of Pediatrics in 2010 recommended that hot dogs—one of the most common food choking hazards in children—carry a choking hazard warning on packaging, and that the hot dogs themselves be redesigned to make them less likely to get stuck in young throats.

But hot dogs aren't the only concern. Other choking hazards include peanuts, sausages, whole grapes, chewing gum, hard candy, whole cherry tomatoes, popcorn, tough meat, large pieces of raw fruits and vegetables and chips. You

can reduce the threat of injury or death by following these tips:

- Keep an eye on your child as he or she eats.
- Make sure your child is sitting up straight.
- Cut food into no more than ½-inch pieces.
- Teach children to chew and swallow properly.
- Cook vegetables until they're soft or grate them.
- Be on the lookout for stuffed cheeks—a sign your child is storing large quantities of food in his or her mouth and not swallowing. ●



In case of emergency

It's always a good idea to be prepared in case of a choking emergency. Visit www.redcross.org/www-files/Documents/pdf/Preparedness/ConsciousChokingPoster_EN.pdf to print out a chart that shows you what to do if an adult, child or infant is choking.

The truth about cereal

Is your breakfast bowl a dietary disaster?

➤ **Just how healthy are the cereals you and your child eat?** Sure, the box promises plenty of whole grains and fiber, but that might not be the reality.

Cereal can be a tasty and fast way to get your day started healthfully. But you need to look carefully at the nutrition label when making your purchase. First, carefully note the serving size; otherwise, you may be eating double the calories shown. Then, look for other key information:

➤ **Sugar.** Excess sugar is a major source of extra calories in the American diet. It also promotes tooth decay and may raise triglyceride levels—a type of blood fat—which can boost heart disease risk. Opt for cereal with 5 grams or less of sugar per serving. Skip cereals that list sugar at the top of the ingredients list or that contain many types of added sugar, such as high-fructose corn syrup.

➤ **Calories.** To avoid calorie overload, choose cereals with 120 calories or less per serving. Just remember, some cereals can be slightly higher in calories and still be healthy.



➤ **Fiber.** Ideally, you should purchase cereal that has at least 5 grams of fiber per serving, but be sure there are no less than 3 grams per serving. Why? This important nutrient may help lower your cholesterol and reduce your risk of heart disease, diabetes and some types of cancer. Make sure you're using fat-free or low-fat milk instead of whole milk or you could be canceling out those healthy benefits!

Health Connection is published as a community service of Byrd Regional Hospital.

There is no fee to subscribe. The information contained in this publication is not intended as a substitute for professional medical advice. If you have medical concerns, please consult your health care provider.

Copyright © 2011 Byrd Regional Hospital

FALL 2011



www.ByrdRegional.com

70BRH

THE MEDICAL STAFF OF BYRD REGIONAL HOSPITAL

ANESTHESIOLOGY



G. Hurlston, M.D.
(337) 239-9041

CARDIOLOGY



J. Mathew, M.D.
(337) 392-2211

CARDIOLOGY



R. Meadaa, M.D.
(337) 392-1871

EAR, NOSE & THROAT



T. Gozaine, M.D.
(337) 239-2234

FAMILY PRACTICE



Y. Bhattarai, M.D.
(337) 238-3005

FAMILY PRACTICE



S. Depa, M.D.
(337) 238-5773

FAMILY PRACTICE



T. Donovan, M.D.
(337) 238-0167

FAMILY PRACTICE



M. Moss, M.D.
(337) 392-6007

FAMILY PRACTICE



P. Pothem, M.D.
(337) 392-6121

GENERAL PRACTICE



O.B. Biggs, M.D.
(337) 239-9041

GENERAL PRACTICE



G. Lord, M.D.
(337) 238-0167

GENERAL SURGERY



G. Ghanta, M.D.
(337) 239-4130

GENERAL SURGERY



K. Ghorab, M.D.
(337) 238-6161

INTERNAL MEDICINE



H. Alammur, M.D.
(337) 238-5700

INTERNAL MEDICINE



A. Deborah, M.D.
(337) 462-1913

INTERNAL MEDICINE



A. Thadur, M.D.
(337) 239-7227

INTERNAL MEDICINE



L.D. Vo, M.D.
(337) 239-2606

INTERNAL MEDICINE
ENDOCRINOLOGY



H. Lubbos, M.D.
(337) 239-7227

INTERNAL MEDICINE
NEPHROLOGY



J. Saikali, M.D.
(337) 239-7227

INTERNAL MEDICINE
ONCOLOGY



K. Upadhyay, M.D.
(337) 238-3475

OBSTETRICS
GYNECOLOGY



C. Lord, M.D.
(337) 239-1980

OBSTETRICS
GYNECOLOGY



M. Ramirez, M.D.
(337) 392-2300

OBSTETRICS
GYNECOLOGY



M. Sarfraz, M.D.
(337) 238-5081

ORTHOPEDIC SURGERY



S. Granger, M.D.
(337) 392-2330

ORTHOPEDIC SURGERY



J. Park, M.D.
(337) 238-3311

PATHOLOGY



M. Ficarra, M.D.
(337) 238-9133

PEDIATRICS



R. Crowe, M.D.
(337) 239-2207

PEDIATRICS
ENDOCRINOLOGY



N. Khateeb, M.D.
(337) 238-9063

PEDIATRICS
NEONATOLOGY



M. Beg, M.D.
(337) 238-6952

PODIATRY



O. Eleyae, D.P.M.
(337) 462-8430

PODIATRY



J.B. Harvey, D.P.M.
(337) 239-1061

RADIOLOGY



C. Caldwell, M.D.
(337) 239-5141

RADIOLOGY



J. Rankin, M.D.
(337) 239-5141

UROLOGY



F. Fraser, M.D.
(337) 238-0620